

# Journal of Northwest Atlantic Fishery Science



Volume 35

Symposium, 11–13 September 2001  
Elasmobranch Fisheries: Managing for Sustainable Use  
and Biodiversity Conservation

*Editors:* D. W. Kulka, J. A. Musick, M. G. Pawson, and T. I. Walker

Printed and Distributed by:  
Northwest Atlantic Fisheries Organization  
P. O. Box 638, Dartmouth, Nova Scotia  
Canada B2Y 3Y9

April, 2005



## Notice

Readers are informed that in September 2004, the NAFO Secretariat introduced a website dedicated to the *Journal of Northwest Atlantic Fishery Science*:

**<http://journal.nafo.int>**

The purpose of the website is to allow prompt publication of individual papers as soon as they are ready after the editorial process, avoiding inevitable delays associated with the print publication process which has to wait until all edited papers are available. This electronic version is envisaged to reach a much wider circulation of the Journal than the printed version.

The preparation of the electronic version made it necessary to modify the traditional version to the format of the screen and create html documents with user-friendly navigational tools. This electronic version was named the NAFO e-Journal. While we hope that this web version of the NAFO Journal is useful and attractive to users worldwide, we take the view that there is room for improvement, for example with the layout, navigational tools and search options. We therefore consider the NAFO e-Journal a "living" or changing environment.

Electronic publications published in a "living" environment need to be cited in a different way than the traditional printed versions. The citation which is proposed includes the article number, date of upload to the web and the full web paper address.

An example of such a citation would be:

Dolgov, A. V. 2005. Feeding and Food Consumption by the Barents Sea Skates. e-Journal of Northwest Atlantic Fishery Science, V35, art. 34. Upload date: 8 Mar 05. <http://journal.nafo.int/35/34-dolgov.html>



## Foreword

The Scientific Council of NAFO publishes the *Journal of Northwest Atlantic Fishery Science*, which contains peer-reviewed primary papers and notes on original research, and *NAFO Scientific Council Studies*, which contains review papers of topical interest and importance. In addition to the traditional printed version the NAFO Journal is now also produced electronically for timely publications of individual papers (NAFO e-Journal: <http://journal.nafo.int>; see Notice on page iii for details).


Each year since 1981, the Scientific Council has held at least one Special Session on a topic of particular interest, and many of the contributions to those sessions have been published in either of these Publications. For 2002, the Scientific Council initiated this Special Session titled "*Elasmobranch Fisheries: Managing for Sustainable Use and Biodiversity Conservation*", as a Symposium of topical interest to NAFO. To bring a global perspective, the NAFO Scientific Council invited eminent international elasmobranch specialists to organize and convene the Symposium (*NAFO Sci. Coun. Rep.*, 2000, p.45, 188), with the assistance of the NAFO Secretariat. The Symposium held during 11–13 September 2002 was hosted by the NAFO Scientific Council, in conjunction with the NAFO 24<sup>th</sup> Annual Meeting at the Galicia Congress and Exhibition Centre in Santiago de Compostela, Spain. In accordance with the decision of the Scientific Council of September 2002 to publish this issue (*NAFO Sci. Coun. Rep.*, 2002, p. 192), this volume of the *Journal of Northwest Atlantic Fishery Science* is dedicated to the proceedings of the Symposium.

The Symposium was organized/convened by David W. Kulka, (Canada), Department of Fisheries and Oceans, St. John's, Newfoundland, and convened by John A. Musick, (United States of America), Virginia Institute of Marine Science, Gloucester Point, Virginia, Michel G. Pawson, (United Kingdom), Centre for Environment, Aquaculture and Fisheries Science, Lowestoft, Sussex, and Terry I. Walker, (Australia), Marine and Freshwater Resources Institute, Queenscliff, Victoria. The Symposium consisted of four theme sessions introduced by three invited speakers and a total of 53 oral presentations, and a poster session which included 30 poster presentations.

In accordance with the decision of the Scientific Council the co-conveners were invited to undertake the normal Journal editorial work on the submitted papers. At the NAFO Secretariat final editorial work was also done as needed to bring this volume to publication format. For electronic publication in the NAFO website, papers were converted into html format and published in the sequence they were finalized with appropriate index code numbers. This printed version brings the volume to a conclusion with the papers being published in the Symposium proceedings sequence. While unusual circumstances delayed the publication beyond the Scientific Council's prescribed one year time-frame, this issue captures quality information of current global interest, the stimulating considerations discussed at the Symposium, and the comprehensive coverage achieved at the Symposium.

April 2005

Tissa Amaratunga, NAFO, Deputy Executive Secretary  
Technical Editor  
*Journal of Northwest Atlantic Fishery Science*



# Contents

Notice .....	iii
Foreword .....	v
Report of the Symposium .....	xi
<b>Sessions:</b>	
<b>I. Life History and Demographic Analysis</b> .....	xii
<b>II. Stock Identity</b> .....	xiii
<b>III. Stock Assessment</b> .....	xiv
<b>IV. Harvest Strategies and Biodiversity Maintenance</b> .....	xv
<b>Session I</b>	
GALLAGHER, M. J., F. JEAL, and C. P. NOLAN. An Investigation of the Irish Ray Fishery in ICES Divisions VIIa and VIIg .....	1
CALIS, E., E. H. JACKSON, C. P. NOLAN, and F. JEAL. Preliminary Age and Growth Estimates of the Rabbitfish, <i>Chimaera monstrosa</i> , with Implications for Future Resource Management .....	15
FRISK, M. G., T. J. MILLER, and N. K. DULVY. Life Histories and Vulnerability to Exploitation of Elasmobranchs: Inferences from Elasticity, Perturbation and Phylogenetic Analyses .....	27
GALLAGHER, M. J., C. P. NOLAN, and F. JEAL. Age, Growth and Maturity of the Commercial Ray Species from the Irish Sea .....	47
GEDAMKE, T., W. D. DuPAUL, and J. A. MUSICK. Observations on the Life History of the Barndoor Skate, <i>Dipturus laevis</i> , on Georges Bank (Western North Atlantic) .....	67
HENDERSON, A. C., A. I. ARKHIPKIN, and J. N. CHTCHERBICH. Distribution, Growth and Reproduction of the White-spotted Skate <i>Bathyraja albomaculata</i> (Norman, 1937) Around the Falkland Islands .....	79
IVORY, P., F. JEAL, and C. P. NOLAN. Age Determination, Growth and Reproduction in the Lesser-spotted Dogfish, <i>Scyliorhinus canicula</i> (L.) .....	89
MÁRQUEZ-FARIAS, J. F., D. CORRO-ESPINOSA, and J. L. CASTILLO-GÉNIZ. Observations on the Biology of the Pacific Sharpnose Shark ( <i>Rhizoprionodon longurio</i> , Jordan and Gilbert, 1882), Captured in Southern Sinaloa, México .....	107
SOSEBEE, K. A. Are Density-dependent Effects on Elasmobranch Maturity Possible? .....	115
GALLAGHER, M. J., C. P. NOLAN, and F. JEAL. The Structure and Growth Processes of Caudal Thorns ...	125
RODRÍGUEZ-CABELLO, C., F. SÁNCHEZ, and F. VELASCO. Growth of Lesser Spotted Dogfish ( <i>Scyliorhinus canicula</i> L., 1758) in the Cantabrian Sea, Based on Tag-recapture Data .....	131
SOSEBEE, K. A. Maturity of Skates in Northeast United States Waters .....	141
STENBERG, C. Life History of the Piked Dogfish ( <i>Squalus acanthias</i> L.) in Swedish Waters .....	155
CHARVET-ALMEIDA, P., M. L. G. DEARAÚJO, and M. P. DE ALMEIDA. Reproductive Aspects of Freshwater Stingrays (Chondrichthyes: Patamotrygonidae) in the Brazilian Amazon Basin .....	165

## Session II

PAWSON, M. G., and J. R. ELLIS. Stock Identity of Elasmobranchs in the Northeast Atlantic in Relation to Assessment and Management .....	173
ELLIS, J. R., A. CRUZ-MARTÍNEZ, B. D. RACKHAM, and S. I. ROGERS. The Distribution of Chondrichthyan Fishes Around the British Isles and Implications for Conservation .....	195
REY, J., L. G. DE SOLA, and E. MASSUTÍ. Distribution and Biology of the Blackmouth Catshark <i>Galeus melastomus</i> in the Alboran Sea (Southwestern Mediterranean) .....	215
VALSECCHI, E., M. VACCHI, and G. N. DI SCIARA. Characterization of a New Molecular Marker for Investigating Skate Population Genetics: Analysis of Three Mediterranean Skate Species (genus <i>Raja</i> ) of Commercial Interest as a Test Case .....	225
DRAKE, S. C., J. A. DRAKE, and M. L. JOHNSON. 2000+ UK Shark Tagging Program: An Angler Led Shark-tagging Initiative in UK Coastal Waters .....	233
HUETER, R. E., M. R. HEUPEL, E. J. HEIST, and D. B. KEENEY. Evidence of Philopatry in Sharks and Implications for the Management of Shark Fisheries .....	239
DOLGOV, A. V., K. V. DREVETNYAK, and E. V. GUSEV. The Status of Skate Stocks in the Barents Sea ...	249
ELÍAS, I., A. RODRIGUEZ, E. HASAN, M. V. REYNA, and R. AMOROSO. Biological Observations of the Tope Shark, <i>Galeorhinus galeus</i> , in the Northern Patagonian Gulfs of Argentina .....	261

## Session III

PRIBAC, F., A. E. PUNT, B. L. TAYLOR, and T. I. WALKER. Using Length, Age and Tagging Data in a Stock Assessment of a Length Selective Fishery for Gummy Shark ( <i>Mustelus antarcticus</i> ) .....	267
FIGUEIREDO, I., P. B. MACHADO, and L. S. GORDO. Deep-water Sharks Fisheries off the Portuguese Continental Coast .....	291
HAMMOND, T. R., and J. R. ELLIS. Bayesian Assessment of Northeast Atlantic Spurdog Using a Stock Production Model, with Prior for Intrinsic Population Growth Rate Set by Demographic Methods .....	299
WAKEFORD, R. C., D. J. AGNEW, D. A. J. MIDDLETON, J. H. W. POMPERT, and V. V. LAPTIKHOVSKY. Management of the Falkland Islands Multispecies Ray Fishery: Is Species-specific Management Required? .....	309
FERNÁNDEZ, L., F. SALMERÓN, and A. RAMOS. Change in Elasmobranchs and Other Incidental Species in the Spanish Deepwater Black Hake Trawl Fishery off Mauritania (1992–2001) .....	325
PÉREZ-JIMÉNEZ, J. C., O. SOSA-NISHIZAKI, E. FURLONG-ESTRADA, D. CORRO-ESPINOSA, A. VENEGAS-HERRERA, and O. V. BARRAGAN-CUENCAS. Artisanal Shark Fishery at "Tres Marias" Islands and Isabel Island in the Central Mexican Pacific .....	333
ABELLA, A. J., F. SERENA. Comparison of Elasmobranch Catches from Research Trawl Surveys and Commercial Landings at Port of Viareggio, Italy, in the Last Decade .....	345
DOLGOV, A. V., A. A. GREKOV, I. P. SHESTOPAL, and K. M. SOKOLOV. By-catch of Skates in Trawl and Long-Line Fisheries in the Barents Sea .....	357



### Session III (Cont'd)

CRUZ-MARTÍNEZ, X. CHIAPPA-CARRARA, V. ARENAS-FUENTES. Age and Growth of the Bull Shark, <i>Carcharhinus leucas</i> , from Southern Gulf of Mexico .....	367
RODRÍGUEZ-CABELLO, C., A. FERNÁNDEZ, I. OLASO, F. SÁNCHEZ, R. GANCEDO, A. PUNZÓN, and O. CEDRERO. Overview of Continental Shelf Elasmobranch Fisheries in the Cantabrian Sea .....	375

### Session IV

PUNT, A. E., F. PRIBAC, B. L. TAYLOR, and T. I. Walker. Harvest Strategy Evaluation for School and Gummy Shark .....	387
PRINCE, J. D. Gauntlet Fisheries for Elasmobranchs – the Secret of Sustainable Shark Fisheries .....	407
SACHSE, M. L., G. R. RICHARDSON. Moving from Input Controls to Output Controls Using the Partnership Approach in Australia's Southern Shark Fishery .....	417
CLARKE, M. W., L. BORGES, and R. A. OFFICER. Comparisons of Trawl and Longline Catches of Deepwater Elasmobranchs West and North of Ireland .....	429
MARQUEZ-FARIAS, J. F. Gillnet Mesh Selectivity for the Shovelnose Guitarfish ( <i>Rhinobatos productus</i> ) from Fishery-Dependent Data in the Artisanal Ray Fishery of the Gulf of California, Mexico .....	443
CLARKE, S. C., M. K. McALLISTER, and C. G. J. MICHIELENS. Estimates of Shark Species Composition and Numbers Associated with the Shark Fin Trade Based on Hong Kong Auction Data .....	453
SÁNCHEZ, F., C. RODRÍGUEZ-CABELLO, and I. OLASO. The Role of Elasmobranchs in the Cantabrian Sea Shelf Ecosystem and Impact of the Fisheries on Them .....	467
OLASO, I. F. VELASCO, F. SÁNCHEZ, A. SERRANO, C. RODRÍGUEZ-CABELLO, and O. CENDRERO. Trophic Relations of Lesser-Spotted Catshark ( <i>Scyliorhinus canicula</i> ) and Blackmouth Catshark ( <i>Galeus melastomus</i> ) in the Cantabrian Sea .....	481
DOLGOV, A. V. Feeding and Food Consumption by the Barents Sea Skates .....	495
WALKER, T. I., R. J. HUDSON, and A. S. GASON. Catch Evaluation of Target, By-product and By-catch Species Taken by Gillnets and Longlines in the Shark Fishery of South-eastern Australia .....	505
COELHO, R., K. ERZINI, L. BENTES, C. CORREIA, P. G. LINO, P. MONTEIRO, J. RIBEIRO, and J. M. S. GONÇALVES. Semi-pelagic Longline and Trammel Net Elasmobranch Catches in Southern Portugal: Catch Composition, Catch Rates and Discards .....	531
<b>Scientific Publications of NAFO</b> .....	539



## Report of the Symposium

**Hosted by the Scientific Council of the  
Northwest Atlantic Fisheries Organization (NAFO)  
11–13 September 2002**

***Elasmobranch Fisheries: Managing for Sustainable  
Use and Biodiversity Conservation***

The **Symposium** *Elasmobranch Fisheries: Managing for Sustainable Use and Biodiversity Conservation*, was held at the Palacio de Congreso, Santiago de Compostela, Spain, and was co-convened by D. W. Kulka (DFO, NAFO), J. A. Musick (VIMS, co-chair, IUCN Elasmobranch Species Specialist Group), M. G. Pawson (CEFAS) and T. I. Walker (PIRVic) during 11–13 September 2002. It was attended by 119 participants from Argentina, Australia, Brazil, Canada, Faroe Islands, France, Germany, Ireland, Italy, Mauritania, Mexico, Namibia, New Zealand, Portugal, Russia, Scotland, South Africa, Spain, Sweden, Netherlands, United Kingdom, and United States of America (refer to List of Participants).



Santiago de Compostela, Galicia, Spain

In the Keynote Address, Sarah Fowler, Naturebureau International and co-chair, IUCN Shark Specialist Group, pointed out that increased public awareness of the vulnerability of elasmobranch stocks and the impact of fishing over the past decade has led to a significant increase in the national and international fisheries management instruments directed toward this component. The recent history of international shark conservation and management initiatives and action plans for delivering conservation and sustainable use of elasmobranchs, particularly FAO's International Plan of Action for the Conservation and Management of Sharks (IPOA-Sharks), was reviewed. Despite these initiatives, landings of and international trade in elasmobranchs has increased during the past decade. It was concluded that progress and commitment in all but a few fishing states has been less than adequate.

The remainder of the Symposium considered current research, advances and impacts of elasmobranch fisheries in many different locations around the world in the context of four themes: Life History and Demographic Analysis; Stock Identity; Stock Assessment and Harvest Strategies and Biodiversity Maintenance. Three invited speakers addressed specific issues within the four sessions. In addition to the invited papers, the program comprised 53 oral presentations and 30 posters.

### Session I: Life History and Demographic Analysis (J. A. Musick, covenor)

This session comprised 16 presentations: 8 focused on sharks, 4 on batoids, 2 on Chimaeras, and 2 were of a general nature concerning comparative life histories of elasmobranches. Of the posters, 6 described life history aspects of batoids, 2 on sharks. The invited paper by J. A. Musick elaborated on the inherent vulnerability of elasmobranch fishes to over-harvesting and ultimately stock collapse because of their life history characteristics: slow growth, long lifespan, late maturing and low fecundity. These demographic parameters lead to low intrinsic rates of population increase, which in turn minimizes the rate of sustainable fishing mortality (F). Indeed, some species may be so constrained that even low levels of F may lead to negative population trajectories: exceptions are smaller species which live in temperate or tropical environments.



Co-conveners (left to right): Mike Pawson, David Kulka, John Musick and Terry Walker

these sharks which are endothermic, maintaining a constant, elevated body temperature were higher than for ectothermic sharks inhabiting the same cold-water habitats. In addition, growth rate, length-at-age and weight-at-length were observed to be higher in eastern than in western Pacific salmon sharks.

Rabbitfish (*Chimaera monstrosa*) constitutes up to 15% of the discarded bycatch in deepwater trawl fisheries off Ireland. It was shown that rabbitfish are a long-lived (~40 years) and late maturing, with low fecundity. For commercial ray species from the Irish Sea, smaller species were shown to have faster growth rates and all species had rather abrupt onset of maturity. Age, growth and reproduction was described in the barndoor skate (*Dipturus laevis*), a species severely depleted in the western North Atlantic. Age at maturity was determined to be lower than previously assumed and the species was found to be common on parts of Georges Bank. Distribution, growth and reproduction were described in the white-spotted skate (*Bathyraja albomaculata*) from the Falkland Islands. Dorsal thorns were sectioned to determine age (although the method has not been validated) and age and size at maturity as well as seasonal reproductive and migration patterns were described.

Reproductive biology of the thorny skate (*Amblyraja radiata*) was described for the outer Grand Bank (NAFO Division 3N). This species apparently has slow growth and late maturity and limited fecundity. Age, growth and reproduction in the lesser-spotted dogfish (*Scyliorhinus canicula*) were described off Ireland. Males grow faster than females in this species, a situation common among elasmobranches. However, the author also found that males reach a larger size. The combination of faster growth and larger size is unusual and the evolutionary implications of this were discussed.

Density dependent compensation was investigated in the sharpnose shark (*Rhizoprionodon terraenovae*) in the Gulf of Mexico, a small subtropical shark with relatively fast growth. Growth rate increased and length and age at maturity decreased in response to increased fishing mortality. No increase in fecundity was observed nor would it be expected in viviparous species in which the size of the uterus constrains the number of young that can be carried to term. Reproduction was reviewed in lamniform sharks, which are oophagous or adelphophagous. In this group of large

Subject matter presented in this session was diverse. In applying life table models to Portuguese dogfish (*Centroscymnus coelolepis*), matrix models might offer more insight into sustainable management of elasmobranch stocks than traditional assessment models. An investigation of the Irish ray fishery incorporated port sampling, commercial transaction data and logbook data to determine species, size and sex of batoids taken in this mixed species fishery. Although total mortality (Z) was shown to be relatively high, demographic analysis of all species except *Raja montagui* still indicated positive population growth. Aspects of age, growth and reproduction of the salmon shark (*Lamna ditropis*) were described for the eastern North Pacific. Growth rates of

and commercially important species, developing embryos are nourished in utero by unfertilized eggs produced in large numbers by the female.

Both fishery dependent and independent data sets were used to determine demographics and status of the dusky shark (*Carcharhinus obscurus*) in the western North Atlantic. The species takes 21 years to mature and has a 3-year reproductive cycle during which it produces around 8–10 young. This species has declined by 80–90%, and demographic modeling suggests that population recovery is doubtful, even though the species is protected by recent fishing regulations. Bycatch mortality remains high (>50%) in the directed shark long-line fishery. Another study found that size at maturity has declined in female spiny dogfish (spurdog, *Squalus acanthias*) in the North Atlantic in response to over-fishing. Litter size remained constant, although the average size of recruits declined because of fewer large females (pup size is correlated with female size).

Data from the literature were used to create stage-based population models with subsequent elasticity analysis to determine how mortality (M) and fertility (F) influence population growth rates (r) in elasmobranchs. The author found a negative association between species size and elasticity of fecundity and a positive relationship between size and elasticity of adult and juvenile stages. Information from similar analyses might be useful in determining management strategies.

Sonic telemetry was used with fixed receivers in a small bay in Florida to obtain direct estimates of natural and fishing mortality in neonate blacktip sharks (*Carcharhinus limbatus*). Both natural and fishing mortality were found to be very high (60–90%) for the first 15 weeks of life, after which survivorship increased drastically.

To summarize:

1. Breeding age of elasmobranchs should be defined as the age at which females actually bear young or lay eggs, and not when ova begin to mature. This is especially relevant to demographic modeling.
2. Size selectivity of fishing gear may affect the growth curves that result from sampling the catch and may not actually represent growth in the general population.
3. More research is needed on the effect of density-dependent compensation on vital rates in elasmobranchs.
4. More research is required to provide empirical estimates of natural mortality by age.
5. More research is needed on demographics, stock structure, habitat utilization and both ontogenetic and seasonal migrations in deepwater elasmobranchs.
6. Managers need to pay closer attention to life history differences among species taken in mixed species fisheries. In mixed fisheries, different life history characteristics among the catch components can be problematic. Large, slow growing, long-lived elasmobranchs may be depleted or locally extirpated while more productive fishes continue to drive the fisheries.

## **Session II: Stock Identity** (M. G. Pawson, convenor)

This session comprised 13 papers and 5 posters covering approaches to stock identification in relation to assessment and management; movement patterns and spatial structure; distribution and related population biology; population genetics; and a fisherman's perspective on fishery developments. A common theme was the lack of information on the relationship between stock structure and those parts of a species' population that are subject to exploitation, even in fisheries with a long history of exploitation and management.

Four papers reported studies on the behaviour of individual fish using fishery-independent techniques (archival, acoustic and satellite tags), and these have begun to reveal hitherto unsuspected patterns of movements (white sharks in Australia, basking shark off the west coast of the UK, thornback ray in the southern North Sea, and juvenile sandbar shark along the Virginia shore). In three cases, there is evidence of movement into areas where conventionally-tagged individuals have not been recaptured. Philopatry, a tendency to stay in or return to a breeding, nursery or feeding area, was observed in all species. This has implications for assessments based on CPUE data, where local depletion may obscure overall population trends, and because the sampled population (for tagging or biological studies, usually where the species can most readily be caught) may not be representative of the population as a whole.

Progress was reported in the development of genetic markers for species recognition and stock delineation, of sharks in the western Atlantic and rays in the Mediterranean Sea respectively, but there is, as yet, little evidence that this approach may soon be used to identify management units. It was also shown that measured population parameters (growth, maturity, meristics etc) vary considerably in time and space, partly because there are few, if any standardized protocols for data collection and analysis. This limits their use in stock identity.

Analyses of elasmobranch data from standard trawl surveys from the NAFO Regulatory Area, waters around the British Isles and in the western Mediterranean showed that these are valuable indicators of stock structure and distribution. There are similar data sets and other sources of information that should be investigated with this goal in mind.

Tagging studies, especially those providing information on scale and rate of dispersal and migrations and some ability to interpret why these are taking place, currently provide most of our knowledge on stock identity of elasmobranchs. Philopatry introduces complications to knowledge of stock units and to our ability to interpret population trends and status from data representing only part of a self-supporting stock unit. Clearly, this provides a less than solid basis upon which to develop management actions, though development of spatial models that recognize these features in population structure, and in the patterns and evolution of fisheries is a promising solution.

### **Session III: Stock Assessment** (D. Kulka, convenor)

Fourteen papers described fisheries and monitoring (4 papers) and highlighted a variety of assessment techniques applied to elasmobranch stocks (10 papers). The latter focused mainly on innovative modeling and assessment methodologies. Of the posters, 1 described biomass dynamics/catch effort trend analysis and 8 provided descriptions of fisheries or described development of elasmobranch assessment techniques.

Elasmobranchs often make up a significant component in fisheries directed for other species, particularly those prosecuted in deep water. This was illustrated in a study of the deep water fisheries off Portugal. Portuguese dogfish (*C. coelolepis*) and Leaf-scale Gulper shark (*Centrophorus squamosus*) made up the major part of total annual elasmobranch landings, although a great deal of variation was observed among areas fished and fleet. Socio-economic implications were also discussed in the context of conservation vs exploitation. Elasmobranch trawl fisheries in the Sicily Strait were also described. A monitoring program identified a complex catch, 26 species of elasmobranchs belonging to 11 families. *Raja batis* and several other species regarded as unusual for the area were reported to be common in the catches. Landings and discard amounts were estimated (more than half discarded) and depth relationships were given. Two fisheries for blue shark (*Prionace glauca*) were also described. New markets for long standing fishery off Baja California Mexico (dating back to the 1880s) led to expansion of the fleet to larger vessels. Small vessels captured mainly juveniles while the larger vessels took larger fish. Moderate downward trends in catch rates were observed. The value of careful monitoring practices was illustrated in a presentation describing a recently initiated experimental artisanal fishery in the Bay of Biscay. Fishery observers recorded very detailed information on fishing locations and times, gears, species compositions, size and sex distributions in the catches. A dramatic drop in the CPUE over a short period (3 years) was observed.

Most of the papers described methodologies used to assess elasmobranchs. Very often, data (input) was the key limiting factor. Assessments often rely on very basic data such as species integrated catch series and catch rates, or fishery independent indices. For example, where CPUE is not species disaggregated, while the rate might remain relatively stable, some of the more vulnerable (the elasmobranchs) components might well be in decline. One study showed how port sampling and survey data could be used to split aggregated catch data by species. The multispecies rajid fishery off the Falkland Is. is another case illustrating data deficiencies. In the absence of detailed biological knowledge or catch at age information or even a species specific breakdown of the catches, simple production models incorporating species aggregated catch/effort data were used to estimate sustainable levels of exploitation. The status of sharks taken in nets set near beaches of South Africa (to minimize the risk of shark attack) was also assessed on the basis of limited information. Given that effort was relatively constant through space and time, catch was used an index of abundance. Although effort was not high, catches of 4 species showed a significant decline (removing the confounding affect of the annual sardine run). Uncertainty about local stock depletion and philopatry was noted. The issue of local stock depletion that would not be observed in spatially aggregated assessments was also noted in several other papers.

Where appropriate data are available, elasmobranch assessments have been based on quite a variety of methods from demographic analysis, surplus production models and, more recently, models that require age-disaggregated input as well as knowledge of life history (age and growth), stock structure and spatial distribution. As is the case for all fish stock assessments, no matter how sophisticated the model, the interpretation of the results are constrained by assumptions in the input variables. It was pointed out that applying different models can result in very different results.

In some cases, appropriately detailed data such as age-disaggregated data are available and a number of cases were illustrated. Various approaches used in the assessment of NE Atlantic deepwater sharks were presented. A European research project (DELASS) was initiated in 2000 to remedy some of the deficiencies aimed at collecting the required data and developing appropriate stock assessment models. Ageing elasmobranchs is generally more difficult than for teleosts. Generally, vertebrae are used but spines also contain annual rings. One paper described the age and growth of bull sharks (*Carcharhinus leucas*) from the Gulf of Mexico. For this study, four different techniques were applied to enhance ring definition of the vertebrae. Validation was done by marginal increment analysis. The study described the Von Bertalanffy parameters for the species. An age-structured model was implemented using a Bayesian approach. Information from multiple gears and fishery independent surveys was applied to Atlantic Sharpnose Shark. It was pointed out that a good understanding of life history parameters was important to the integrity of the model. Limited knowledge of life history leads to uncertainty in the model outcome. One paper dealing with sandbar sharks (*Carcharhinus plumbeus*) presented an age/sex structured population dynamics model that took into account biological and fishery characteristics. This presentation illustrated the advantage of accounting for such aspects as pupping areas or spatial aspects of shark dynamics in the model. Another paper dealing with gummy sharks (*Mustelus antarcticus*) employed a variant of the Integrated Analysis Method, also an age/sex structured population dynamic model that incorporated catch, length-frequency and release-recapture data. Issues raised were the spatial consistency on the stock's peculiarities of the pupping process and fishery over time, gear composition and affect on the analysis. A Bayesian stock production assessment of NE Atlantic spurdog was fitted to survey and commercial CPUE data. Demographic techniques were used to convert prior distributions for age specific fecundity and natural mortality (based on tagging data and maximum age/length).

A GIS approach was used in one study to investigate changes in the fishery for and abundance of kitefin shark (*Dalatias licha*). Fishing ground, depth, distance to fishing ports, and seasonality in species catches were overlaid to yield a spatio-temporal perspective of the fishery. Least cost pathways may be useful for managers to evaluate resource exploitation sustainability, identify potential fishing grounds and selecting suitable resource conservation measures.

Deep water sharks may be even more vulnerable to exploitation than orange roughy, a deepwater teleost well known to decline rapidly soon after the implementation of fisheries. Thus, stocks are often observed to decline soon after commencement of a fishery. Problems in assessing elasmobranchs related mainly to the non-availability of appropriate input data in addition to the rate at which these species decline once they are exploited. Combining species and gears was recognized as less than appropriate, yet in many cases, only aggregated data were available. It was suggested that a more pre-emptive management approach is required for elasmobranchs in the form of conservative measures (management plans that include immediate implementation of quotas and restrictions). The issue is not the methods used to assess elasmobranchs (generally quite sophisticated) but rather data deficiencies and less than adequate managements measures derived from the advice given (and the political will to implement same). The first key step is to improve the data through enhanced monitoring programs, including ones that involve the fishers or employ independent observers.

#### **Session IV: Harvest Strategies and Biodiversity Maintenance (T. I. Walker, convenor)**

Thirteen papers were presented relating to sustainable use, biodiversity conservation, and maintenance of ecosystem structure and function.

##### **Sustainable use**

Several papers on the shark fishery of southern Australia provided examples of fisheries where there is a long history of monitoring, biological research, stock assessment and management. The invited speaker indicated that harvest strategies can be evaluated using deterministic models to capture the biology of the species taken and the dynamics of the fishery. Harvest strategies are evaluated in terms of performance measures that relate to average catches, catch variability, and resource conservation. The need for risk assessment as part of the assessment of fisheries and good

consultative processes engaging fishery managers, scientists, fishers and other stakeholders were emphasized. The fishery of southern Australia demonstrates that, with the one important exception of the school shark (*Galeorhinus galeus*), the target, byproduct, and bycatch of chondrichthyan catches by gillnets and longlines are sustainable. School shark was identified as having very low productivity and in need of tight fisheries management.

Chondrichthyans, having low biological productivity are vulnerable to the effects of fishing. Several species from other parts of the world were identified as having been markedly depleted: notably the sandbar shark (*C. plumbeus*), spiny dogfish and several species of skate in the Atlantic. On a broader scale, dogfish, and chimaeras occurring in deep water on the continental slopes of the world appear to be at high risk. These animals inhabit cold water and have particularly low productivity; their habitat area is small compared with the continental shelves and abyssal plains. In contrast, species such as gummy shark (*M. antarcticus*) and Atlantic sharpnose shark (*R. terraenovae*) were shown to be highly productive and can sustain stable fisheries.

Attention was drawn to the need of giving special protection to both pre-recruits and breeding animals in a harvested population. It was demonstrated that the mesh size used in a fishery can be tuned to minimize the impact on small sharks and large sharks. Choice of mesh size is a balance between the efficient take of target species and minimizing bycatch. It was also argued that closed areas are probably the only available method of conserving some species.

In terms of the fin trade data in Hong Kong, whereas the data appear to be incomplete, it is possible to estimate number of sharks killed by application of raising factors to available numbers of fins in batches of known weight for known species (recorded by traders or determined from genetic testing). A major component consists of blue shark (*P. glauca*) and several other pelagic species taken in oceanic waters. More direct estimates of blue, shortfin mako (*Isurus oxyrinchus*) and porbeagle sharks (*Lamna nasus*) taken as bycatch in the tuna longline fishery of New Zealand were made from at sea observer programs. There, following a decline in the catch during the early 1990s, there was a rapid rise in catch during the past 10 years, in response to the high demand for shark fins on Asian markets. As most of the catch of blue sharks comprises males and there is evidence of stock structuring, the presenter emphasized the need for international collaboration for the assessment of these pelagic species.

It is not always feasible to undertake detailed assessment of every species and there is a need to apply rapid assessment techniques to identify those species at high risk and in need of special management or protection. Application of this approach was presented for northern Australia, where species were compared on the basis of biological productivity and catch susceptibility quantified on the basis of various biological attributes (e.g. longevity, fecundity, proportion breeding, distribution in relation to the fisheries and position in water column in relation to the fishing gear).

### **Biodiversity conservation**

Much of the world chondrichthyan catch is reported as 'unspecified species' or is not reported at all. Several papers reported progress on evaluation of bycatch and byproduct species through on-board observers during normal commercial fishing operations. Other papers reported progress on catch evaluation from fishery-independent trawl, longline and gillnet surveys, or experimental fishing. Data were presented that indicate bycatch of chondrichthyans can be reduced by the application of Bycatch Reduction Devices including Turtle Exclusion Devices.

### **Ecosystem structure and function**

Most trawl, longline, and gillnet fisheries catch large numbers of chondrichthyan species and the number of animals taken varies greatly between species. In general, a small number of species dominate the catch. Chondrichthyans are clearly important in the ecosystem and some are apex predators. It also appears, in some regions at least, that the biggest animals in the ecosystem tend to be chondrichthyans.

Surveys of catches from the artisan fisheries of the coastline from Sierra Leone to Ghana indicate that the assemblages of the chondrichthyan fauna change from inshore across the continental shelf and down the continental slope. Another survey with trawl and longlines off the eastern and western coasts of Ireland indicate that dogfishes form the dominant species on the slope and that the predominance of dogfishes on the slope increases with increasing depth. Similarly, as indicated by a poster presentation, the dogfishes were much more significant in the fish communities of the deeply submerged seamounts than those of the more shallowly submerged seamounts of the Sierra Leone Rise in the Gulf of Guinea.



An ecosystem model for the Cantabrian Sea using ECOPATH was presented that incorporates fish biomass estimates, biological parameters, stomach contents data, and catches and discards. The model also includes the trophodynamics of phytoplankton, zooplankton, benthos, and demersal and pelagic communities. The model was used to evaluate the effects of various fishing gears and closed areas on chondrichthyan populations and catches. Other papers highlighted the complex spatial, temporal and depth effects on stomach contents of sharks.

## Conclusion

Considerable attention has been focused on elasmobranchs and their exploitation in recent years in various parts of the world. The Council was introduced to some general issues generated from the discussions at the symposium:

1. Elasmobranchs are generally more vulnerable to exploitation and are slower to recover than other fish species due to life history characteristics such as low natural mortality, slow population growth and low reproductive rate. Deep water sharks are particularly vulnerable.
2. Of particular concern is the low intrinsic rates of increase in elasmobranch stocks. When taken in mixed fisheries where some species are more productive, the possibility exists that some elasmobranchs may be extirpated while target species and the fishery remains viable.
3. Information for the management of elasmobranch stocks needs to be greatly improved. Unrestricted fishing with ineffective monitoring, management and controls is typical for many of the world fisheries.
4. Increased public awareness of the vulnerability of elasmobranch stocks and the impact of fishing over the past decade has led to a significant increase in the national and international fisheries management instruments directed toward this group, although many remain poorly implemented.

In addition, participants at the 2002 NAFO Symposium on Elasmobranch Fisheries call for:

- NAFO to establish effective management measures for thorny skate and direct the NAFO Scientific Council to investigate the status and management needs of other elasmobranchs in NAFO waters;
- Fishing nations, regional fishery management organizations, and FAO to increase investment in elasmobranch biological and fishery research and management;
- NAFO and all fishing nations, even in the absence of complete fishery data, to implement precautionary quotas and measures to reduce bycatch for particularly vulnerable species;
- All shark-fishing nations, but especially the major fishing nations, to produce a National Plan of Action for their elasmobranchs;
- FAO and developed countries to provide the technical expertise to assist developing nations in the preparation of their National Plan of Action and the assessment and management of fisheries taking sharks.

# Symposium Schedule

## Oral Presentations

### Session I: Life History and Demographic Analysis (Convenor: J. Musick)

**Paper**

- | <b>No.</b> | <b>Author(s) and Title</b>   |
|------------|--|
| 1.1        | <b>Invited Paper:</b> MUSICK, J. Life history and demographic analysis.  |
| 1.2        | CARVALHO, L., M. QUARESMA and I. FIGUEIREDO. First approach to the application of life table models to the Portuguese dogfish ( <i>Centroscymnus coelolepis</i> ).                               |
| 1.3        | GALLAGHER, M., F. JEAL and C. P. NOLAN. An investigation of the Irish ray fishery in ICES Divisions VIIa and VIIg.   |
| 1.4        | GOLDMAN, K. J. and J. A. MUSICK. Growth and demographic dynamics of salmon sharks in the eastern and western North Pacific: a spatially structured population?                                   |
| 1.5        | CALIS, E., E. JACKSON, C. P. NOLAN and F. JEAL. An insight into the life history of the rabbitfish <i>Chimaera monstrosa</i> with implications for future resource management.                   |
| 1.6        | CARLSON, J. and I. BAREMORE. Changes in biological parameters of Atlantic sharpnose shark, <i>Rhizoprionodon terraenovae</i> , in the Gulf of Mexico: evidence for density-dependent regulation? |
| 1.7        | CASTRO, J. I. Patterns of reproduction in the <i>Oophagous lamniform</i> sharks.   |
| 1.8        | FRISK, M. G., N. K. DULVY and T. J. MILLER. Combining elasticity analyses and life history traits of elasmobranchs as indicators of vulnerability to exploitation.                               |
| 1.9        | GALLAGHER, M., C. P. NOLAN and F. JEAL. Age, growth and maturity of the commercial ray species from the Irish Sea.   |
| 1.10       | GEDAMKE, T., W. D. DUPAUL and J. A. MUSICK. Observations on the distribution and life history of the barndoor skate ( <i>Dipturus laevis</i> ) in the Georges Bank closed area II.               |
| 1.11       | HENDERSON, A. C., A. I. ARKHIPKIN and J. N. CHTCHERBICH. Distribution, growth and reproduction of the white-spotted skate <i>Bathyraja albomaculata</i> around the Falkland Islands.             |
| 1.12       | HEUPEL, M. R., C. A. SIMPFENDORFER and R. E. HUETER. Direct estimation of survival and mortality of juvenile blacktip sharks, <i>Carcharhinus limbatus</i> , using telemetry data.               |
| 1.13       | DEL RÍO IGLESIAS, J. L. Some aspects of the thorny skate ( <i>Raja radiata</i> Donovan, 1808) reproductive biology in NAFO Division 3N.  |
| 1.14       | IVORY, P. and F. JEAL. Age determination, growth and reproduction in the lesser-spotted dogfish, <i>Scyliorhinus canicula</i> (L.).  |
| 1.15       | MARQUEZ-FARIAS, J. F., D. CORRO-ESPINOSA and J. L. CASTILLO-GENIZ. Biology of the pacific sharpnose shark, ( <i>Rhizoprionodon longurio</i> ), caught in Sinaloa, Mexico.                        |
| 1.16       | ROMINE, J. G., J. A. MUSICK and G. H. BURGESS. Life history parameters of the dusky shark, <i>Carcharhinus obscurus</i> , revisited and their implications to estimates of population increase.  |
| 1.17       | SOSEBEE, K. A. Are density-dependent effects on elasmobranch maturity possible?  |

**Session II: Stock Identity**  
**Convenor: M. G. Pawson**

<b>Paper</b>	
<b>No.</b>	<b>Author(s) and Title</b>
2.1	<b>Invited Paper:</b> PAWSON, M. G. and J. R. ELLIS. Stock identity of elasmobranchs in the North-east Atlantic in relation to assessment and management.
2.2	BRUCE, B. and J. STEVENS. Movement patterns and spatial structure of white sharks in Australia.
2.3	SIMS, D. W., E. J. SOUTHALL and J. D. METCALFE. Movements and behaviour of basking sharks ( <i>Cetorhinus maximus</i> ) as revealed by pop-up archival transmitting tags.
2.4	CONRATH, C. L. and J. A. MUSICK. A delineation of nursery habitat and migratory patterns of juvenile sandbar sharks, <i>Carcharhinus plumbeus</i> , in the western Atlantic Ocean.
2.5	CERVIÑO, S., J. L. DEL RÍO and E. ROMÁN. Abundance and distribution of elasmobranchs in NAFO Regulatory Area (Divisions 3MNO).
2.6	ELLIS, J. R., B. B. RACKHAM and S. I. ROGERS. The distribution of chondrichthyan fishes around the British Isles and their conservation status.
2.7	DURÁN MUÑOZ, P. and E. ROMÁN. Distribution and biological aspects of deepwater sharks in North East and Central Atlantic.
2.8	HARIDAE, N.-R., G. GARNES, G. LANGEDAL and J. E. DYB. Distribution and biology of Portuguese dogfish ( <i>Centroscyrnus coelolepis</i> ) and leafscale gulper shark ( <i>Centrophorus squamosus</i> ) at Hatton Bank and the Mid-Atlantic Ridge (33°–61°N).
2.9	REY, J., E. MASSUTI and L. GIL DE SOLA. Distribution and biology aspects of blackmouth catshark, <i>Galeus melastomus</i> , in the Alboran Sea (south-western Mediterranean).
2.10	MESEGUER, S. and J. REY. Distribution and biology of smallspotted catshark, <i>Scyliorhinus canicula</i> , in the Alboran Sea (western Mediterranean).
2.11	PRINCE, J. D., P. RISELEY, T. I. WALKER, L. P. BROWN and A. E. PUNT. Assessing the costs and benefits of fishery-independent surveys in Australia's Southern shark fishery: results of a pilot survey.
2.12	VALSECCHI, E., M. VACCHI and G. NOTARBARTOLO DI SCIARA. Population genetics of two Mediterranean skate species ( <i>Genus Raja</i> ) of commercial interest.
2.13	HOENIG, J. and M. SHIVJI. Estimating species composition of shark catches from DNA assays: group testing reduces the number of laboratory tests.
2.14	DRAKE, S. C., J. A. DRAKE and M. L. JOHNSON. 2000+ UK shark tagging programme: an anglers led shark-tagging initiative in UK coastal waters.
2.15	HUETER, R. E., M. R. HEUPEL, E. J. HEIST and D. B. KEENEY. The implications of philopatry in sharks for the management of shark fisheries.

**Session III: Stock Assessment**  
**Convenor: D. W. Kulka**

**Paper**

<b>No.</b>	<b>Author(s) and Title</b>
3.1	APOSTOLAKI, P. and M. MCALLISTER. Providing advice for the management of sandbar shark ( <i>Carcharhinus plumbeus</i> ). Application of an age- and spatially-structured model.
3.2	PRIBAC, F., A. E. PUNT, T. I. WALKER and B. L. TAYLOR. The value of length, age and tagging data in a stock assessment of a length selective fishery for gummy shark.
3.3	SIMPFENDORFER, C. A. and G. BURGESS. Assessment of the status of the Atlantic sharpnose shark ( <i>Rhizoprionodon terraenovae</i> ) using an age-structured population model.
3.4	CLARKE, M. G., P. LORANCE and R. OFFICER. Approaches to the assessment of deepwater sharks in the northeast Atlantic.
3.5	DUDLEY, S. F. J. Shark catch trends and effort reduction in the beach protection program, KwaZulu-Natal, South Africa.
3.6	FIGUEIREDO, I., L. S. GORDO and P. B. MACHADO. Deep-water sharks fisheries from off the Portuguese continental coast.
3.7	HAMMOND, T. R., C. DARBY, J. R. ELLIS and M. G. PAWSON. Bayesian assessment of NE Atlantic spurdog using a stock production model, with prior for intrinsic rate of increase set by demographic methods.
3.8	MACHADO, P. B. Finding trends on the fishery and abundance of kitefin shark, <i>Dalatias licha</i> (Bonaterre, 1788), from off Azores throughout a GIS spatial analysis.
3.9	SOLDAT, V. T. Spiny dogfish ( <i>Squalus acanthias</i> L.) of the Northwest Atlantic Ocean (NWA).
3.10	WAKEFORD, R. C., A. J. AGNEW, D. A. J. MIDDLETON and J. H. W. POMPERT. Fisheries conservation of a multi-species skate and ray community in the Falkland Islands.
3.11	CRUZ-MARTÍNEZ, A., X. CHIAPPA-CARRARA and V. ARENAS-FUENTES. Age and growth of bull shark <i>Carcharhinus leucas</i> from the southern Gulf of Mexico.
3.12	SCACCO, L., F. ANDARLORO, S. CAMPAGNUOLO, L. CASTRIOTA and M. VACCHI. Cartilaginous fish catches in the Sicily Strait trawl fisheries.
3.13	LUCIO, P., V. ORTIZ DE ZÁRATE, G. DIEZ, C. RODRÍGUEZ-CABELLO and M. SANTURTÚN. Description of an Experimental Artisanal Fishery Targeting Blue Shark in the Bay of Biscay, 1998–2000.
3.14	SOSA-NISHIZAKI O., E. FURLONG-ESTRADA, J. A. REYES-GONZÁLEZ and J. C. PÉREZ-JIMÉNEZ. Blue shark ( <i>Prionace glauca</i> ) fishery in Baja California, Mexico: an example of artisanal and middle scale fisheries interaction.
3.15	PASTOORS, M. A. Stock assessments of elasmobranchs in North-East Atlantic: making the most of the data.

**Session IV: Harvest Strategies and Biodiversity Maintenance**  
**Convenor: T. Walker**

<b>Paper No.</b>	<b>Author(s) and Title</b>
4.1	<b>Invited Paper:</b> PUNT, A. E., F. PRIBAC, B. L. TAYLOR and T. I. WALKER. Harvest strategy evaluation for school and gummy shark.
4.2	KYNE, P. M., A. J. COURTNEY, M. J. CAMPBELL, K. E. CHILCOTT, S. W. GADDES, C. T. TURNBULL, C. C. VAN DER GEEST and M. B. BENNETT. An overview of the elasmobranch by-catch of the Queensland east coast trawl fishery (Australia).
4.3	PRINCE, J. D. Gauntlet fisheries for elasmobranchs – the secret of sustainable shark fisheries.
4.4	SACHSE, M. The role of the Australian Fisheries Management Authority in the management of the southern shark fishery.
4.5	CLARKE, M. W., R. OFFICER, D. STOKES and P. CONNOLLY. Comparisons of trawl and longline catches of deepwater elasmobranchs west and north of Ireland.
4.6	MARQUEZ-FARIAS, J. F. Fishery dependent gill net mesh selectivity for the shovelnose guitarfish, ( <i>Rhinobatos productus</i> ), taken in the artisanal ray fishery of the Gulf of California, Mexico.
4.7	CLARKE, S. and M. MCALLISTER. Estimates of shark mortality associated with the Shark Fin Trade based on Hong Kong auction data.
4.8	FRANCIS, M. P., L. H. GRIGGS and S. J. BAIRD. By-catch of pelagic sharks in New Zealand tuna longline fisheries.
4.9	SÁNCHEZ, F., C. RODRIGUEZ-CABELLO and I. OLASO. The role of elasmobranchs in the Cantabrian Sea shelf ecosystem and the impact of fisheries on them.
4.10	STOBUTZKI, I., T. STEVENS, T. TARANTO, J. STEVENS, R. MCAULEY, R. BUCKWORTH and N. GRIBBLE. Assessing the regional impact of fishing on elasmobranchs in northern Australia: 148 species, 33 fisheries and limited data.
4.11	WALKER, T. I., A. S. GASON, R. J. HUDSON and I. A. KNUCKEY. Assessing impacts of fisheries on biodiversity of sharks and other chondrichthyans in south-eastern Australia and the Great Australian Bight.
4.12	DOWD, W. W., J. A. MUSICK and R. BRILL. The role of elasmobranchs in coastal fisheries ecosystems: mass-balance and organismal bioenergetics approaches.
4.13	ELLIS, J. K. and J. A. MUSICK. Past and present diet of the sandbar shark in the lower Chesapeake Bay.
4.14	OLASO, I., F. VELASCO, F. SÁNCHEZ, A. SERRANO, C. RODRÍGUEZ-CABELLO and O. CENDRERO. Trophic relations of lesser spotted dogfish ( <i>Scyliorhinus canicula</i> ) and black mouth dogfish ( <i>Galeus melastomus</i> ) in the benthic and demersal communities of the Cantabrian Sea.
4.15	RAMOS, A., L. FERNÁNDEZ, and F. SALMERÓN. Chondrichthyes biodiversity on the central Gulf of Guinea continental shelf and slope (from Sierra Leona to Ghana).

## Poster Presentations

### *Life History*



Participants at Poster Presentations

#### Poster

- | No. | Author(s) and Title   |
|-----|---|
| P.1 | COELHO, R., L. BENTES, C. CORREIA, J. M. S. GONÇALVES, P. G. LINO, P. MONTEIRO, J. RIBEIRO and K. ERZINI. Fisheries biology of the undulate ray, <i>Raja undulata</i> , in the Algarve (southern Portugal). |
| P.2 | GALLAGHER, M., C. P. NOLAN and F. JEAL. The structure and growth processes of the caudal thorns of Bathyrajids.   |
| P.3 | JEAL, F., D. FOLEY and M. GALLAGHER. Gonad maturity and age in male rajids.   |
| P.4 | RODRIGUEZ-CABELLO, C. and F. SÁNCHEZ. Growth estimates of the lesser spotted dogfish ( <i>Scyliorhinus canicula</i> ) in the Cantabrian Sea.  |
| P.5 | SOSEBEE, K. A. and A. WHITTINGHAM. Maturity of skates in northeast United States waters.  |
| P.6 | KESKIN, C., M. SUHENDAN, O. MUAMMER and N. UNSAL. Research on the relationship between meat yield quality and the liver weight of the thornback ray ( <i>Raja clavata</i> L. 1758) in the Black Sea.        |
| P.7 | STENBERG, C. Life history of the piked dogfish ( <i>Squalus acanthias</i> L.) in Swedish waters.  |
| P.8 | CHARVET-ALMEIDA, P., M. L. GÓES DE ARAÚJO, and M. PINTO DE ALMEIDA. Reproductive aspects of freshwater stingrays (Chondrichthyes: Potamotrygonidae) in the Brazilian Amazon Basin.                          |

### *Abundance Survey (Fishery Independent)*

- |      |  |
|------|--|
| P.9  | CLÒ, S., M. DALÙ, R. DANOVARO and M. VACCHI. Segregation of the Mediterranean population of <i>Centroscymnus coelolepis</i> (Chondrichthyes: Squalidae): a description and survey. |
| P.10 | DOLGOV, A. V., K. V. DREVETNYAK and E. V. GUSEV. Status of skates stocks in the Barents Sea.   |
| P.11 | HEESSEN, H. J. L. The by-catch of rays in the Dutch flatfish fisheries.  |

### ***Abundance Survey (Fishery Independent) (continued)***

- P.12 SHESTOPAL, I. P., O. V. SMIRNOV and A. A. GREKOV. Bottom long-line fishing for deepwater sharks on sea-mounts in the international waters of the North Atlantic.
- P.13 ELÍAS, I., A. RODRÍGUEZ, E. HASAN, L. LOTO and R. AMOROSO. First observation of the tope shark, *Galeorhinus galeus*, in the northern Patagonian Gulfs of Argentina.
- P.14 GADIG, O. B. F., R. C. NAMORA and F. S. MOTTA. Data on juvenile pelagic sharks occurring in the nearshore area of São Paulo State, Southern Brazil.
- P.15 MACÍAS, D., J. VALEIRAS, J. M. ORTIZ and J. M. DE LA SERNA. Large pelagic sharks as by-catch in the Mediterranean swordfish longline fishery: some biological aspects.

### ***Tagging***

- P.16 HOLTZHAUSEN, J. A. Trans-boundary bronze whaler (*Carcharhinus brachyurus*) tagging program between Namibia and Angola.

### ***Biomass Dynamics/Catch-effort Trend Analysis***

- P.17 BONFIL, R. Drawing blood from a stone?: stock assessment of the multispecies shark fishery of Yucatan, Mexico.
- P.18 CASTILLO-GÉNIZ, J. L., S. R. SORIANO-VELÁSQUEZ, F. SANCHO-VÁZQUEZ, S. R. RAMÍREZ-SANTIAGO and A. CID DEL PRADO. Characterization of the Mexican shark artisanal fishery off the Gulf of Tehuantepec, México.

### ***Fishery Description/Monitoring***

#### **Poster**

- | <b>No.</b> | <b>Author(s) and Title</b>  |
|------------|---|
| P.19       | CASTILLO-GÉNIZ, J. L., S. R. SORIANO-VELÁSQUEZ and J. F. MÁRQUEZ-FARIAS. The proposal of the Mexican official standard for sharks fisheries: the long awaited tool for conserving shark stocks in México.   |
| P.20       | ERZINI, K., L. BENTES, R. COELHO, C. CORREIA, P. G. LINO, P. MONTEIRO, J. RIBEIRO and J. M. S. GONÇALVES. Semi pelagic longline and trammel net elasmobranch catches in the Algarve (southern Portugal): catch composition, catch rates and discards. |
| P.21       | GANCEDO, F. R., A. PUNZÓN, C. RODRIGUEZ-CABELLO, I. OLASO, F. SÁNCHEZ and O. CENDRERO. Overview of Continental Shelf elasmobranch fisheries in the Cantabrian Sea.  |
| P.22       | FERNÁNDEZ, L., F. SALMERÓN and A. RAMOS. Evolution of elasmobranch by-catch from the Spanish deepwater black hake trawling fishery off Mauritania.  |
| P.23       | GUALLART, J. The fishery of the gulper shark ( <i>Centrophorus granulosus</i> ) in the Balearic Sea (Western Mediterranean).  |
| P.24       | DE MATTOS, S. M.G. Coastal shark fishery off Pernambuco – Brazil: is there any possibility of management?   |
| P.25       | PÉREZ-JIMÉNEZ, J. C., O. SOSA-NISHIZAKI, E. FURLONG-ESTRADA and D. CORRO ESPINOSA. Artisanal shark fishery at Tres Marias and Isabel Islands, Nayarit, México.  |
| P.26       | SALMERÓN, F., A. CARROCEDA, L. FERNÁNDEZ and A. RAMOS. Analysis of the elasmobranch by-catch from the Spanish deepwater bottom longline fishery in Mauritanian waters.  |
| P.27       | ABELLA, A. and F. SERENA. Comparison of elasmobranch catches of trawl surveys and commercial landings of the Port of Viareggio (North Tyrrhenian-South Ligurian Sea, Italy) in the last decade.   |
| P.28       | DOLGOV, A. V. A. A. GREKOV, I. P. SHESTOPAL AND K. M. SOKOLOV. By-catch of skates in trawl and long-line fisheries in the Barents Sea.  |

***Fishery Description/Monitoring*** (continued)

- P.29 GÓES DE ARAÚJO, M. L., P. CHARVET-ALMEIDA, and M. PINTO DE ALMEIDA. Fishery and conservation of freshwater stingrays (Chondrichthyes: Potamotrygonidae) in the North of Brazil.

***Various Methods***

- P.30 HEESSEN, H. J. L. DELASS. Development of elasmobranch assessments.

***By-catch Management/Fishery Description***

- P.31 RAMOS, A., F. SALMERÓN, F. MOYA, A. CARROCEDA, P. GARCÍA-PASTOR and I. FERNÁNDEZ. Elasmobranch biodiversity and abundance on the seamounts of Sierra Leone Rise (Gulf of Guinea).

***By-catch (Discards) Evaluation***

- P.32 STOBUTZKI, I., M. MILLER, D. HEALES and D. BREWER. Assessing the sustainability of elasmobranch by-catch in a prawn trawl fishery: a method for dealing with high diversity and limited information.

***By-catch Management/Fishery Description***

- P.33 ENDICOTT, M. and D. J. AGNEW. Conserving rajid populations in the Antarctic.
- P.34 FRENTZEL-BEYME, B. Z. Proposal for a new method of selectively reducing shark bycatch in longline fisheries.

***Ecosystem Structure and Function***

- P.35 DOLGOV, A.V. Feeding and food consumption by the Barents Sea skates.
- P.36 MASSUTÍ, E. and J. MORANTA. Demersal assemblages and depth distribution of elasmobranchs from the continental shelf and slope trawling grounds of the Balearic Islands (western Mediterranean).



Participants of the Symposium on *Elasmobranch Fisheries: Managing for Sustainable Use and Biodiversity Conservation*, 11–13 September 2002.



## List of Participants

### Co-conveners:

David W. Kulka  
 Head, Resource Sampling - Aquatic Resources  
 Department of Fisheries and Oceans  
 P. O. Box 5667  
 St. John's, Newfoundland A1C 5X1  
 Canada  
 Phone: +709 772 2064  
 Fax: +709 772 5469  
 Cell: +709 687 2658  
 E-mail: [kulkad@dfo-mpo.gc.ca](mailto:kulkad@dfo-mpo.gc.ca)

Michel G. Pawson  
 CEFAS (Centre for Environment,  
 Aquaculture and Fisheries Science)  
 Lowestoft Laboratory  
 Pakefield Road  
 Lowestoft Suffolk NR33 0HT  
 United Kingdom  
 Phone: +44 1502 524436.  
 Fax: +44 1502 524511  
 Email: [m.g.pawson@cef.co.uk](mailto:m.g.pawson@cef.co.uk)

John A. Musick  
 Head, Vertebrate Ecology & Systematics Programs  
 Virginia Institute of Marine Science  
 P. O. Box 1346, Route 1208 Greates Rd.  
 Gloucester Point, VA 23062  
 USA  
 Phone: +804 684 7317  
 Fax: +804 684 7327  
 E-mail: [jmusick@vims.edu](mailto:jmusick@vims.edu)

Terry I. Walker  
 Program Leader, Modelling and Data Management  
 Marine and Freshwater Resources Institute  
 P. O. Box 114  
 Queenscliff, Victoria 3225  
 Australia  
 Phone: +61 3 5258 0251  
 Fax: +61 3 5258 0270; Mobile: 0418 525530  
 E-mail: [terry.walker@nre.vic.gov.au](mailto:terry.walker@nre.vic.gov.au)

### Argentina

Elias, I. Centro Nacional Patagónico (CONICET), Bvd. Brown s/n, (9120), Puerto Madryn, Chubut  
 Phone: +54-02965-451-024 – Fax: +54-02965-451-543 – E-mail: [elias@cenpat.edu.ar](mailto:elias@cenpat.edu.ar)

### Australia

Bennett, M.B. Dept. of Anatomy & Developmental Biology, University of Queensland, Brisbane, 4072, Queensland  
 Phone: +61 7 33652705 – Fax: +61 7 3365 1299 – E-mail: [m.bennett@uq.edu.au](mailto:m.bennett@uq.edu.au)

Kyne, P.M. Dept. of Anatomy & Developmental Biology, University of Queensland, Brisbane, 4072, Queensland  
 Phone: +61 7 33652720 – Fax: +61 7 3365 1299 – E-mail: [p.kyne@uq.edu.au](mailto:p.kyne@uq.edu.au)

McAuley, R. W.A. Marine Research Laboratory, P. O. Box 20, North Beach, WA 6920  
 Phone: +61 8 9246 8423 – Fax: +61 8 9447 3062 – E-mail: [rmcauley@fish.wa.gov.au](mailto:rmcauley@fish.wa.gov.au)

Pribac, F. CSIRO Marine Research, P. O. Box 1538, Hobart, Tasmania 7001  
 Phone: +61 3 6232 5057 – Fax: +61 3 6232 5000 – E-mail: [pribac@marine.csiro.au](mailto:pribac@marine.csiro.au)

Prince, J.D. Biospherics P/L & Murdoch University, P.O. Box South Fremantle, Western Australia  
 Phone: +61 9 336 3793 – Fax: 61 9 335 3793 – E-mail: [biospherics@ozemail.com.au](mailto:biospherics@ozemail.com.au)

Punt, A.E. CSIRO Marine Research, P. O. Box 1538, Hobart, Tasmania 7001  
 Phone: +61 3 6232 2222 – E-mail: [andre.punt@marine.csiro.au](mailto:andre.punt@marine.csiro.au)

Riseley, P. P. O. Box 410, Robe, SA 5276  
 Phone: +61 8 8768 2042 – Fax: +61 8 9335 2485 – E-mail: [merilyn@seol.net.au](mailto:merilyn@seol.net.au)

Sachse, M. Australian Fisheries Management Authority, P. O. Box 7051, Canberra Mail Centre ACT 2601  
 Phone: +61 2 6272 3376 – Fax: +61 2 6272 5167 – E-mail: [margot.sachse@afma.gov.au](mailto:margot.sachse@afma.gov.au)

Stevens, J.D. CSIRO Marine Research, P. O. Box 1538, Hobart, Tasmania 7001  
 Phone: +61 3 6232 5353 – Fax: +61 3 6232 5053 – E-mail: [john.d.stevens@csiro.au](mailto:john.d.stevens@csiro.au)

Stobutzki, I.C. CSIRO Marine Research, P. O. Box 120, 120 Cleveland QLD, 4163  
 Phone: +61 7 3826 9299 – Fax: +61 7 3826 7222 – E-mail: [ilona.stobutzki@csiro.au](mailto:ilona.stobutzki@csiro.au)

### Brazil

Almeida, M. P. Rua Mundurucus, 2445 ap., 1202 – Cremação, Belém – Pará 66040-270  
 Phone: +55 (91) 242-7715 – Fax: +55 (91) 242-7715 – E-mail: [maupalm@nautilus.com.br](mailto:maupalm@nautilus.com.br)

**Brazil (Continued)**

- Araújo, M.L. Av. Efigênio Salles, 750, Bl. Jutai, 303. Parque dos Rios I. Bairro Parque 10 Manaus, Amazonas CEP: 69.055-000  
Phone: +(55) 92-646-1492 – Fax: +(55) 92-646-1492 – E-mail: [mlpotamotrygon@aol.com](mailto:mlpotamotrygon@aol.com)
- Charvet-Almeida, P. Rua Mundurucus, 2445 ap., 1202 – Cremação, Belém – Pará 66040-270  
Phone: +55 (91) 242-7715 or +55 (91) 9112-9442 – Fax: +55 (91) 242-7715 –  
E-mail: [pchalm@nautilus.com.br](mailto:pchalm@nautilus.com.br)

**Canada**

- Atkinson, D.B. Science, Oceans & Envir. Br., Dept. of Fish. & Oceans, P.O. Box 5667, St. John's, Nfld. A1C 5X1  
Phone: + 709-772-2027 – Fax: + 709-772-6100 – E-mail: [atkinsonb@dfo-mpo.gc.ca](mailto:atkinsonb@dfo-mpo.gc.ca)
- Stansbury, D.E. Science, Oceans & Envir. Br., Dept. of Fish. & Oceans, P. O. Box 5667, St. John's, Nfld. A1C 5X1  
Phone: +709-772-0559 – Fax: +709-772-4105 – E-mail: [stansburyd@dfo-mpo.gc.ca](mailto:stansburyd@dfo-mpo.gc.ca)

**Faroe Islands**

- Nicolajsen, A. Fiskorannsiknarstovan, Noatun, Postboks 3051, FR-1100, Torshavn  
Phone: +298 31 50 92 – Fax: +298 31 8264 – E-mail: [arninic@frs.fo](mailto:arninic@frs.fo)

**France**

- Séret, B. Muséum National d'Historie Naturelle, Laboratoire d'Ichtyologie, 43, rue Cuvier, 75231 Paris Cedex 05  
Phone: +33 31 4079 3738 – Fax: +33 31 4079 4771 – E-mail: [seret@mnhn.fr](mailto:seret@mnhn.fr)

**Germany**

- Frentzel-Beyme, B. German Elasmobranch Society, Juliusstr. 18, 22769 Hamburg  
Phone: +49 040 43193400 – E-mail: [boris\\_fbeyme@yahoo.com](mailto:boris_fbeyme@yahoo.com)

**Ireland**

- Calis, E. Elasmobranch Unit, Zoology Department, Trinity College, University of Dublin, Dublin 2  
Phone: +353 1 6081366 – Fax: +353 1 677 8094 – E-mail: [erna.calis@oceanfree.net](mailto:erna.calis@oceanfree.net)
- Clarke, M. Marine Institute, Abbotstown, Dublin 15  
Phone: +353 1 8228354 – Fax: +353 1 820 5078 – E-mail: [maurice.clarke@marine.ie](mailto:maurice.clarke@marine.ie)
- Gallagher, M. Elasmobranch Unit, Zoology Department, Trinity College, University of Dublin, Dublin 2  
Phone: +353 1 8397925 – Fax: +353 1 839 3759 – E-mail: [gallagher@bim.ie](mailto:gallagher@bim.ie)
- Ivory, P. Elasmobranch Unit, Department of Zoology, Trinity College, University of Dublin, Dublin 2  
Phone: + 353 1 6081366 – Fax: + 353 1 677 8094 – E-mail: [ivoryp20002@yahoo.co.uk](mailto:ivoryp20002@yahoo.co.uk)
- Jackson, E.H. Zoology Department, Trinity College, Dublin 2  
Phone: +353 1 6081135 – Fax: +353 1 677 8094 – E-mail: [emmetjackson@hotmail.com](mailto:emmetjackson@hotmail.com)
- Jeal, F. Elasmobranch Unit, Zoology Department, Trinity College, University of Dublin, Dublin 2  
Phone: +353 1 608 1135 – Fax: +353 1 677 8094 – E-mail: [fjeal@tcd.ie](mailto:fjeal@tcd.ie)
- Nolan, C.P. Zoology Department, Trinity College, Dublin 2  
Phone: +353 1 608 2728 – Fax: +353 1 677 8094 – E-mail: [nolanpc@tcd.ie](mailto:nolanpc@tcd.ie)
- Officer, R. Marine Institute, Abbotstown, Dublin 15  
Phone: +353 1 820 8200 – Fax: +353 1 820 5078 – E-mail: [rick.officer@marine.ie](mailto:rick.officer@marine.ie)

**Italy**

- Abella, A. ARPAT-AREANARE (Agenzia Regionale per la Protezione Ambientale della Toscana), Sez.Reg. G.E.A.  
(Gestione della fauna ittica, Ecosistemi marini e Acquacoltura, Via Marradi 114, 57100 – Livorno  
Fax: +39 0586 263476 – E-mail: [a.abella@arpat.toscana.it](mailto:a.abella@arpat.toscana.it)
- Scacco, U. ICRAM, Vie oli Casalotti 300, 00166 Roma  
Phone: +39 06 61 570518 – E-mail: [umbertoscacco@hotmail.com](mailto:umbertoscacco@hotmail.com)
- Serena, F. ARPAT-AREANARE (Agenzia Regionale per la Protezione Ambientale della Toscana), Sez.Reg.  
G.E.A. (Gestione della fauna ittica, Ecosistemi marini e Acquacoltura, Via Marradi 114, 57100 –  
Livorno  
Phone: +39 0586 263496 – Fax: +39 0586 263476 – E-mail: [f.serena@arpat.toscana.it](mailto:f.serena@arpat.toscana.it)

**Mauritania**

Valadou, B. IMROP, BP 22, Novadhoubou c/o ISMER–UQAR, Allee des Ursulines, Rimouski  
(Quebec-Canada) G5L 8A1  
E-mail: [bene\\_doud@hotmail.com](mailto:bene_doud@hotmail.com)

**Mexico**

Perez Jimenez, J.C. Centro de Investigación Científica y de Educación Superior de Ensenada (CICESE), Km 107 Carretera  
Tijuana-Ensenada, Ensenada, Baja California México CP. 22800.

Phone: +52 (646) 174 5050 – Fax: +52 (646) 175 0545 – E-mail: [jcperez@cicese.mx](mailto:jcperez@cicese.mx)

Sosa-Nishizaki, O. Centro de Investigación Científica y de Educación Superior de Ensenada (CICESE), Km 107 Carretera  
Tijuana-Ensenada, Ensenada, Baja California, México. CP. 22800

Phone: +52 (646) 174 5050 – Fax: +2 (646) 175 0545 – E-mail: [ososa@cicese.mx](mailto:ososa@cicese.mx)

**Namibia**

Holtzhausen, J.A. Linefish and Shark Research, Ministry of Fisheries and Marine Resources, P. O. Box 912, Swakopmund  
Phone: +264 64 4101145 – Fax: +264 64 404385 – E-mail: [hholtzhausen@mfmr.gov.na](mailto:hholtzhausen@mfmr.gov.na)

**New Zealand**

Francis, M.P. National Institute of Water and Atmospheric Research, P.O. Box 14901, Wellington, New Zealand  
Phone: +64 4 386 0377 – Fax: +64 4 386 0574 – E-mail: [m.francis@niwa.cri.nz](mailto:m.francis@niwa.cri.nz)

**Portugal**

Avila de Melo, A. Inst. de Investigacao das Pescas e do Mar (IPIMAR), Av. de Brasilia, 1400 Lisbon  
Phone: +351 21 302 7000 – Fax: +351 21 301 5948 – E-mail: [amelo@ipimar.pt](mailto:amelo@ipimar.pt)

Alpoim, R. Inst. de Investigacao das Pescas e do Mar (IPIMAR), Av. de Brasilia, 1400 Lisbon  
Phone: +351 21 302 7000 – Fax: +351 21 301 5948 – E-mail: [ralpoim@ipimar.pt](mailto:ralpoim@ipimar.pt)

Carvalho, J. N/A – does not want to receive any publications  
E-mail: [joanamando@iol.pt](mailto:joanamando@iol.pt)

Coelho, R. Universidade do Algarve, Faculdade de Ciências do Mar e Ambiente, Campus de Gambelas  
8000 - Faro  
Phone: +351-289-800900 Ext. 7242 – Fax: +351 289 818 353 – E-mail: [rpscoelho@ualg.pt](mailto:rpscoelho@ualg.pt)

Figueiredo, I. Instituto de Investigação das Pescas e do Mar, Av. de Brasília 1449-006 Lisboa  
Phone: +351 21 3027131 – Fax: +351 21 3015948 – E-mail: [ivonefig@ipimar.pt](mailto:ivonefig@ipimar.pt)

Gordo, L.S. Departamento de Zoologia e Antropologia, Faculdade de Ciências de Lisboa, Bloco C2,  
Campo Grande 1749-016 Lisboa  
Phone: +351 21 7500000 Ext. 22304 – E-mail: [lsgordo@fc.ul.pt](mailto:lsgordo@fc.ul.pt)

Machado, P.A.B. Instituto de Investigação das Pescas e do Mar, Av. de Brasília 1449-006 Lisboa  
Phone: +351 21 3027108 – Fax: +351 21 3015948 – E-mail: [bmachado@ipimar.pt](mailto:bmachado@ipimar.pt)

Santos, R.M.L. Rua Erigo Fraucide L. Garrett, No. 26, 30Dt0, 2745-Queluz  
Phone: +351 96 4090719 – Fax: +351 21 4370523 – E-mail: [trianodon@hotmail.com](mailto:trianodon@hotmail.com)

Verissimo, A. Apartado 96, 2600 Achandra  
Phone: +351 91 9858402 – Fax: +351 21 9510118 – E-mail: [verissimo-ana@hotmail.com](mailto:verissimo-ana@hotmail.com)

**Russia**

Babayan, V.K. Russian Federal Research Institute of Fisheries & Oceanography (VNIRO), 17, V. Krasnoselskaya,  
Moscow, 107140

Phone: +70 95 264 6983 – Fax: +70 95 264 9187 – E-mail: [vbabayan@vniro.ru](mailto:vbabayan@vniro.ru)

Drevetnyak, K.V. Knipovich Polar Research Institute of Marine Fisheries and Oceanography (PINRO),  
6 Knipovich Street, Murmansk 183763

Phone/Fax: +47 789 10-518 – E-mail: [inter@pinro.murmansk.ru](mailto:inter@pinro.murmansk.ru)

Shibanov, V.N. Knipovich Polar Research Institute of Marine Fisheries and Oceanography (PINRO),  
6 Knipovich Street, Murmansk 183763

Phone: +7 8152 47 2614 – Fax: +47 789 10 518 – E-mail: [inter@pinro.murmansk.ru](mailto:inter@pinro.murmansk.ru)

Solodovnik, V. VNIRO, 17 Krasnoselskaya Str., Moscow B-140, 107140

Phone: +70 95 264 9143 – Fax: +70 95 264 9021 – E-mail: [inter@vniro.ru](mailto:inter@vniro.ru)

**Scotland**

Jones, E.G. FRS Marine Laboratory, P. O. Box 101, Victoria Road, Aberdeen AB11 9DB  
Phone: +44 1224 295 572 – Fax: +44 1224 295 511 – E-mail: [jonese@marlab.ac.uk](mailto:jonese@marlab.ac.uk)

**South Africa**

Charter, G.E. Natal Sharks Board, Private Bag 2, Umhlanga Rocks 4320  
Phone: +27 31 5660400 – Fax: +27 31 5660499 – E-mail: [charter@shark.co.za](mailto:charter@shark.co.za)

Dudley, S.F.J. Natal Sharks Board, P. Bag 2, Umhlanga 4320  
Phone: +27-31-5660413 – Fax: +27-31-5660499 – E-mail: [dudley@shark.co.za](mailto:dudley@shark.co.za)

**Spain**

Abad, E. Instituto Español de Oceanografía, Puerto Pesquero s/n 29640 Fuengirola (Malaga)  
Phone: +34 952 47 19 07 – Fax: 34 952 463 808 – E-mail: [esther.abad@ma.ieo.es](mailto:esther.abad@ma.ieo.es)

Armesto Lopez, A. Rue Chano Pineiro, 11, 10-13, 36208, Vigo-Pontevedra  
Phone: +34 629 994 055 – E-mail: [angelesarmesto@yahoo.es](mailto:angelesarmesto@yahoo.es)

Arnaiz, R. c/Rua do Valino 32, Direccia Xeral de Recursos Marinas, Conselleria de Pesca, Santiago de Compostela  
Phone: +981 54 5020 – Fax: +981 54 5025 – E-mail: [ricardo.arnaiz.ibarrondo@xunta.es](mailto:ricardo.arnaiz.ibarrondo@xunta.es)

Carroceda, A. Instituto Español de Oceanografía, Centro Oceanográfico de Málaga, Puerto Pesquero s/n,  
E-29640 Fuengirola (Málaga)  
Phone: +34 95 2 47 69 55 – Fax: +34 95 2 46 38 08

Cendrero, O. Instituto Español de Oceanografía. Apdo. 240, 39080 Santander  
Phone: +34 942-291068 – Fax: +34 942-275072 – E-mail: [orestes.cendrero@st.ieo.es](mailto:orestes.cendrero@st.ieo.es)

Cervino, S. Dept. de Pesquerias, Instituto de Investigaciones Marinas, Eduardo Cabello, 6, 36208, Vigo  
Phone: +34 986 231930 (ext. 241) – Fax: +34 986 292762 – E-mail: [santi@iim.csic.es](mailto:santi@iim.csic.es)

De Cárdenas, E. Institute Español de Oceanografía, Avenida de Brasil 31, 28020 Madrid  
Phone: + 34 91 417 5911 – Fax: + 34 91 597 4770 – E-mail: [e.decardenas@md.ieo.es](mailto:e.decardenas@md.ieo.es)

Del Arbol Perez, J.P. Instituto Español de Oceanografía, Centro Oceanográfico de Málaga, Puerto Pesquero s/n,  
E-29640 Fuengirola (Málaga)  
Phone: +34 95 247 1907 – Fax: +44 95 246 3808 – E-mail: [juan.delarbol@ma.ieo.es](mailto:juan.delarbol@ma.ieo.es)

Del Rio Iglesias, J.L. Instituto Español de Oceanografía (IEO), Cabo Estay – Canido, P. Box 1552, 36200 Vigo  
Phone: +34 986 492111 – Fax: +34 986 492351 – E-mail: [joseluis.delrio@vi.ieo.es](mailto:joseluis.delrio@vi.ieo.es)

Diez, G. Fundación AZTI, Departamento de Recursos Pesqueros, Arrantza Baliabideen Saila Txatxarramendi  
Ugarte, z/g 8395 Sukarrieta Bizkaia  
Phone: +94 602 94 00 – Fax: +94 687 0006 – E-mail: [gdiez@suk.azti.es](mailto:gdiez@suk.azti.es)

Durán Muñoz, P. Instituto Español de Oceanografía, Programa de Pesquerías Lejanas, Centro Oceanográfico  
de Vigo, Apartado 1552, 36280 Vigo  
Phone: +34 986 492111 – Fax: +34 986 492351 – E-mail: [pablo.duran@vi.ieo.es](mailto:pablo.duran@vi.ieo.es)

Fernández, L. Instituto Español de Oceanografía, Centro Oceanográfico de Málaga, Puerto Pesquero s/n,  
E-29640 Fuengirola (Málaga)  
Phone: +34 95 2 47 69 55 – Fax: +34 95 2 46 38 08 – E-mail: [lourdes.fernandez@ma.ieo.es](mailto:lourdes.fernandez@ma.ieo.es)

Gonzalez-Iglesias, C. Carbol – Becerreira, Salón, 41 (36.318 Vigo)  
Phone: +34 9 86 48 75 89

Gonzalez, F. Instituto Español de Oceanografía, Apto 1552, E-36280 Vigo (Pontevedra), Spain  
Phone: +34 9 86 49 2111 – Fax: +34 9 86 49 2351 – E-mail: [fernando.gonzalez@vi.ieo.es](mailto:fernando.gonzalez@vi.ieo.es)

Lucio, P. Dept. of Fisheries Resources, Fundacion AZTI Fundarioa, Txatxarramendi Irla z/g  
48395 Sukarrieta (Bizkaia)  
Phone: +34 94 602 9400 – Fax: +34 94 687 0006 – E-mail: [plucio@suk.azti.es](mailto:plucio@suk.azti.es)

Massutí, E. I.E.O., Centre Oceanogràfic de les Balears, P.O. Box 291, 07080 Palma de Mallorca  
Phone: +34 971401561 – Fax: +34 971404945 – E-mail: [enric.massuti@ba.ieo.es](mailto:enric.massuti@ba.ieo.es)

Mattos, S.M.G. Institut de Ciències del Mar – ICM/CMIMA, Passeig Marítim de la Barceloneta, 37-49, 08003  
Barcelona  
Phone: +34 93 230 9500 (ext. 1182) – Fax: 34 93 230 9555 – E-mail: [smattos@icm.csic.es](mailto:smattos@icm.csic.es)

Meliane, I. IUCN Centre for Mediterranean Coopeation, P.O. Box 74, 29590 – Campanillas-Malag  
Phone: +34 95 202 8430 – Fax: +34 95 202 8145 – E-mail: [imene.meliane@iucn.org](mailto:imene.meliane@iucn.org)

Meseguer, S. Inst. de Ciències del Mar, Cmima, Passeig Marítim de la Barceloneta, 37-49, 08003 Barcelona  
Phone: +34 93 230 95 00 – Fax: +34 93 230 95 55 – E-mail: [sergim@icm.csic.es](mailto:sergim@icm.csic.es)

Moranta, J. CSIC-UIB, Institut Mediterrani d'Estudis Avançats, Miquel Marquès 21, 07190 Esporles  
Phone: +34 971611722 – Fax: +34 971611761 – E-mail: [joan.moranta@uib.es](mailto:joan.moranta@uib.es)

**Spain (Continued)**

- Moya, F. Instituto Español de Oceanografía, Puerto Pesquero s/n, E-29640 Fuengirola (Málaga)  
E-mail: [francina.moya@ma.ieo.es](mailto:francina.moya@ma.ieo.es)
- Murua, H. Fish, Resour. – AZTI Foundation, Herrera Kaia, Portualde z/g, 20110 Pasaia, Basque Country, Spain  
Phone: + 34 9 43 00 48 00 – Fax: + 34 9 43 00 48 01 – E-mail: [hmurua@pas.azti.es](mailto:hmurua@pas.azti.es)
- Olaso, I.T. Instituto Español de Oceanografía. Apdo. 240, 39080 Santander  
Phone: +34 942-291060 – Fax: +34 942-275072 – E-mail: [i.olaso@st.ieo.es](mailto:i.olaso@st.ieo.es)
- Ramos, A. Instituto Español de Oceanografía, Centro Oceanográfico de Málaga, Puerto Pesquero s/n,  
E-29640 Fuengirola (Málaga)  
Phone: +34 95 2 47 69 55 – Fax: +34 95 2 46 38 08 – E-mail: [ana.ramos@ma.ieo.es](mailto:ana.ramos@ma.ieo.es)
- Rey, J. Instituto Español de Oceanografía, Puerto Pesquero s/n 29640 Fuengirola (Málaga)  
Phone: +34 952 47 19 07 – E-mail: [javier.rey@ma.ieo.es](mailto:javier.rey@ma.ieo.es)
- Rodriguez-Cabello, C. Instituto Español de Oceanografía. Apdo. 240, 39080 Santander  
Phone: +942-291060 – Fax: +942-275072 – E-mail: [c.cabello@st.ieo.es](mailto:c.cabello@st.ieo.es)
- Roman Marcote, E. Instituto Español de Oceanografía, Cabo Estay, Canido (Vigo)  
Phone: +34 986 492111 – E-mail: [ester.raman@ri.ieo.es](mailto:ester.raman@ri.ieo.es)
- Salmerón, F. Instituto Español de Oceanografía, Centro Oceanográfico de Málaga, Puerto Pesquero s/n,  
E-29640 Fuengirola (Málaga)  
Phone: +34 95 2 47 69 55 – Fax: +34 95 2 46 38 08 – E-mail: [paqui.salmeron@ma.ieo.es](mailto:paqui.salmeron@ma.ieo.es)
- Sanchez, F. Instituto Español de Oceanografía, Apdo. 240, 39080 Santander  
Phone: +942-291060 – Fax: +942-275072 – E-mail: [f.sanchez@st.ieo.es](mailto:f.sanchez@st.ieo.es)
- Valeiras, J. Instituto Español de Oceanografía, Puerto Pesquero s/n 29640 Fuengirola (Málaga)  
Phone: +34 952 47 19 07 – Fax: 34 952 463808 – E-mail: [julio.valieras@ma.ieo.es](mailto:julio.valieras@ma.ieo.es)
- Vazquez, A. Instituto de Investigaciones Marinas, Eduardo Cabello 6, 36208 Vigo  
Phone: +34 9 86 23 1930 – Fax: +34 9 86 29 2762 – E-mail: [avazquez@iim.csic.es](mailto:avazquez@iim.csic.es)

**Sweden**

- Stenberg, C. National Board of Fisheries, Box 423, SE-401 26 Gothenburg  
Phone: +46 31 743 04 20 – Fax: +46 31 743 04 34 – E-mail: [charlott.stenberg@fiskeriverket.se](mailto:charlott.stenberg@fiskeriverket.se)

**The Netherlands**

- Heessen, H.J.L. Netherlands Institute for Fisheries Research, P. O. Box 68, 1970 AB IJmuiden  
Phone: +31 255 564 692 – Fax: +31 255 564 644 – E-mail: [h.j.l.heessen@rivo.dlo.nl](mailto:h.j.l.heessen@rivo.dlo.nl)
- Pastors, M.A. Netherlands Institute for Fisheries Research, P.O. Box 68, 1970 AB IJmuiden  
Phone: +31 (0)255 564 690 (switchboard: 646) – Mobile: +31 (0)6 10 93 95 49  
Fax: +31 (0)255 564 644 – E-mail: [m.a.pastors@rivo.wag-ur.nl](mailto:m.a.pastors@rivo.wag-ur.nl)

**United Kingdom**

- Apostolaki, P. Imperial College, Renewable Resources Assessment Group, Department of Environmental Science and  
Technology, Royal School of Mines, Prince Consort Road, London, SW7 2BP  
Phone: +44 207 589 5111 ext: 59275 – Fax: +44 207 589 5319 – E-mail: [y.apostolaki@ic.ac.uk](mailto:y.apostolaki@ic.ac.uk)
- Cavanagh, R.D. Nature Bureau International, 36 Kingfisher Court, Hambridge Rd., Newbury, Berks, RG14 5SJ  
Phone: +44 1635 55 380 – Fax: +44 1635 550 230 – E-mail: [rachel@naturebureau.co.uk](mailto:rachel@naturebureau.co.uk)
- Clarke, S. Renewable Resources Assessment Group, Imperial College, Royal School of Mines Building,  
Prince Consort Road, SW7 WBP, London  
Phone: +44 207 394 5111 ext 59276 – Fax: +44 207 589 5319 – E-mail: [shelley.clarke@ic.ac.uk](mailto:shelley.clarke@ic.ac.uk)
- Cruz-Martinez, A. Present Address: School of Biological Sciences, University of East Anglia, Norwich NR4 7TJ  
Phone: +01 603 59 31 32 – Fax: +01 603 59 22 50 – E-mail: [a.cruz@uea.ac.uk](mailto:a.cruz@uea.ac.uk)
- Drake, J. 2000 + UK Shark Tagging Programme, 48 Woodbridge Avenue, Leatherhead, Surrey, KT22 7QN  
Phone: +44 1372 386276 – E-mail: [shark@ukshark.co.uk](mailto:shark@ukshark.co.uk)
- Ellis, J.R. CEFAS Lowestoft Laboratory, Pakefield Road, Lowestoft, Suffolk NR33 0HT  
Phone: +44 (01502) 524300 – E-mail: [j.r.ellis@cefass.co.uk](mailto:j.r.ellis@cefass.co.uk)
- Endicott, M. RRAS, Imperial College, Royal School of Mines, Prince Consort Road, London EN6 2ER  
Phone: +44 (0) 207 589 5111 ext. 59272 – E-mail: [michael.endicott@ic.ac.uk](mailto:michael.endicott@ic.ac.uk)
- Fowler, S. Naturebureau International, 36 Kingfisher Court, Hambridge Road, Newbury, Berkshire RG14 5SJ  
Phone: +44 1635 550380 – Fax: +44 1635 550230 – E-mail: [sarahfowler@naturebureau.co.uk](mailto:sarahfowler@naturebureau.co.uk)
- Hammond, T. CEFAS Lowestoft Laboratory, Pakefield Road, Lowestoft, Suffolk, NR33 0HT

**United Kingdom (Continued)**

- Hood, A.R. Phone: +44 1502 524 213 – Fax: +44 1502 524 213 – E-mail: [t.hammond@cefasc.co.uk](mailto:t.hammond@cefasc.co.uk)  
The Shark Trust, Rope Walk, Coxside, Plymouth PL4 0LF  
Phone: +44 1752 672020 – Fax: +44 1752 672008 – E-mail: [ali@sharktrust.org](mailto:ali@sharktrust.org)
- Metcalf, J.D. CEFAS, Lowestoft Laboratory, Pakefield Road, Lowestoft Suffolk, NR33 0HT  
Phone: +44 1502 524352 – Fax: +44 1502 52511 – E-mail: [j.d.metcalf@cefasc.co.uk](mailto:j.d.metcalf@cefasc.co.uk)
- Wakeford, R.C. Renewable Resources Assessment Group, Imperial College, Royal School of Mines Building,  
Prince Consort Road, SW7 WBP, London  
Phone: +44 (0) 207 594 7310 – Fax: +44 (0) 207 589 5319 – E-mail: [r.wakeford@ic.ac.uk](mailto:r.wakeford@ic.ac.uk)

**United States of America**

- Bonfil, R. Marine Program, International Conservation Programs, Wildlife Conservation Society,  
2300 Southern Blvd., Bronx, NY 10460  
Phone: +718 741 8205 – Fax: +718 364 4275 – E-mail: [rbonfil@wcs.org](mailto:rbonfil@wcs.org)
- Burgess, G. Florida Museum of Natural History, University of Florida, Florida  
Phone: +352-392-2360 – Fax: +352-846-0287 – E-mail: [gburgess@flmnh.ufl.edu](mailto:gburgess@flmnh.ufl.edu)
- Camhi, M. National Audubon Society, Scully Science Center, 550 South Bay Ave., Islip, NY 11751  
Phone: +631 581-2927 – Fax: +631 581-5268 – E-mail: [mcamhi@audubon.org](mailto:mcamhi@audubon.org)
- Carlson, J. National Marine Fisheries Service, 3500 Delwood Beach Rd., Panama City, FL, 32408  
Phone: +850 234 6541 – Fax: +850 235 3559 – E-mail: [john.carlson@noaa.gov](mailto:john.carlson@noaa.gov)
- Castro, J. Mote Marine Laboratory, 1600 Ken Thompson Parkway, Sarasota, Florida 34236  
Phone: +941 388 4441 – Fax: +941 388 4312 – E-mail: [jcastro@mote.org](mailto:jcastro@mote.org)
- Conrath, C.L. Virginia Institute of Marine Science, P.O. Box 1346, Gloucester Point, VA 23062  
Phone: +804 684-7544 – Fax: +804 684-7327 – E-mail: [conrath@vims.edu](mailto:conrath@vims.edu)
- Correia, S. J. Massachusetts Division of Marine Fisheries, 50A Portside Drive, Pocasset, MA 02559  
Phone: +508-563-1779 Ext. 111 – Fax: +508-563-5482 – E-mail: [steven.correia@state.ma.us](mailto:steven.correia@state.ma.us)
- Cortés, E. National Marine Fisheries Service, 3500 Delwood Beach Rd., Panama City, FL 32408  
Phone: +850 234 6541 – Fax: +850 235 3559 – E-mail: [enric.cortes@noaa.gov](mailto:enric.cortes@noaa.gov)
- DuPaul, W. Virginia Institute of Marine Science, P. O. Box 1346, Gloucester Point, VA 23062  
Phone: +804 684 7163 – Fax: +804 684 7161 – E-mail: [dupaul@vims.edu](mailto:dupaul@vims.edu)
- Ellis, J.K. Virginia Institute of Marine Science, P. O. Box 1346, Gloucester Point, VA 23062  
Phone: +804 684 7815 – Fax: +804 684 7327 – E-mail: [julia@vims.edu](mailto:julia@vims.edu)
- Fordham, S. The Ocean Conservancy, Suite 600, 1725 DeSales St., NW, Washington, D.C. 20036  
Phone: +202 857-3273 – Fax: +202 872-0619 – E-mail: [sonja@oceanconservancy.org](mailto:sonja@oceanconservancy.org)
- Frisk, M. Chesapeake Biological Laboratory, University of Maryland Center for Environmental Science,  
P. O. Box 38, Solomons, MD 20688  
Phone: +410 326 7373 – Fax: +410 326 7318 – E-mail: [frisk@cbl.umces.edu](mailto:frisk@cbl.umces.edu)
- Gedamke, T. Virginia Inst. of Mar. Sci., College of William & Mary, P.O. Box 1346, Gloucester Point, VA 23062  
Phone: +804 684 7315 – Fax: +804 684 7161 – E-mail: [gedamke@vims.edu](mailto:gedamke@vims.edu)
- Heupel, M.R. Center for Shark Research, Mote Marine Lab., 1600 Ken Thompson Parkway, Sarasota, Florida 34236  
Phone: +941 388 4441 – Fax: +941 388 4312 – E-mail: [mheupel@mote.org](mailto:mheupel@mote.org)
- Hueter, R.E. Center for Shark Research, Mote Marine Laboratory, 1600 Ken Thompson Parkway  
Sarasota, Florida 34236  
Phone: +941 388 4441 X323 – Fax: +941 388 4312 – Email: [rhuetter@mote.org](mailto:rhuetter@mote.org)
- Mayo, R.K. National Marine Fisheries Service, NEFSC, 166 Water St., Woods Hole, MA 02543  
Phone: +508 495 2310 - Fax: +508 495 2393 - E-mail: [ralph.mayo@noaa.gov](mailto:ralph.mayo@noaa.gov)
- Romine, J.G. Virginia Institute of Marine Sci., P.O. Box 1346, Route 1208 Greate Rd., Gloucester Point, VA 23062  
Phone: +804 684 1791 – Fax: +804 684 7327 – E-mail: [jromine@vims.edu](mailto:jromine@vims.edu)
- Serchuk, F.M. National Marine Fisheries Service, NEFSC, 166 Water St., Woods Hole, MA 02543  
Phone: +508 495 2245 – Fax: +508 495 2258 – E-mail: [fred.serchuk@noaa.gov](mailto:fred.serchuk@noaa.gov)
- Simpfendorfer, C.A. Mote Marine Laboratory, 1600 Ken Thompson Parkway, Sarasota, Florida 34236  
Phone: +941 388 4441 – Fax: +941 388 4312 – E-mail: [colins@mote.org](mailto:colins@mote.org)
- Sosebee, K.A. National Marine Fisheries Service, NEFSC, 166 Water St., Woods Hole, MA 02543  
Phone: +508-495-2372 - Fax: +508-495-2393 - E-mail: [ksosebee@whsun1.wh.who.edu](mailto:ksosebee@whsun1.wh.who.edu)
- Taylor, I.G. School of Aquatic and fishery Science, University of Washington, Seattle, WA 98195  
Phone: +206-221-6776 – E-mail: [itaylor@u.washington.edu](mailto:itaylor@u.washington.edu)
- Tinkham, H.S. OES/OMC Room 5806, US Department of State, Washington, DC 20520-7818  
Phone: +202-647-3941 – Fax: +202-736-7650 – E-mail: [tinkhamsx@state.gov](mailto:tinkhamsx@state.gov)

## **NAFO Secretariat**

T. Amaratunga, Deputy Executive Secretary  
D. C. A. Auby, Office Secretary  
F. D. Keating, Administration Officer and Meeting Coordinator  
S. Goodick, Finance Officer

## **Secretariat Assistants**

Gisela Diaz López  
Tegra Barreiro Martinez  
Ana Maria Castro Fernández  
Yolanda di Giacovo  
Paloma Gonzalez Fontanais  
Isabel Tembra Iglesias

